



SAFETY DATA SHEET

1. Chemical Product and Company Identification

Product Name : **DIA-722 (BAg-8 equivalent)**
General Use : For silver brazing operation
SDS № : **201-01**
Manufacturer : Mizuno Handy Harman, Ltd.
Sales Dept. : 2-11-12, Kitaueno, Taitoh-Ku, Tokyo, Japan
(Phone/Fax №: +81-3-3844-6166 / +81-3-3845-5702)
Technical Dept. : 13-38 Noborito-cho, Koshigaya-shi, Saitama, Japan
(Phone/Fax №: +81-489-86-9151 / +81-489-86-9153)
Emergency phone number : +81-489-86-9151

2. Hazards Identification

Classification(s)

Skin Sensitization: Hazard Category 1B
Carcinogenicity: Hazard Category 2
Specific Target Organ Toxicity, Single Exposure: Hazard Category 3

Label Symbol(s): Health Hazard, Exclamation point

Label Signal Word(s): Warning

Label Hazard Statement(s):

May cause respiratory irritation.
May cause an allergic skin reaction.
Suspected of causing cancer by inhalation.



Label Precautionary Statement(s):

Do not handle it until all safety precautions have been read and understood.
Obtain special instructions before use.
Avoid breathing dust or fumes.
Use only outdoors or in a well-ventilated area. Store locked up.
Wear protective gloves and eye/face protection.
If skin irritation or rash occurs, get medical advice or attention.

If exposed or concerned, get medical advice/ attention.

The acute toxicities of 20-90% of the product's ingredients are unknown.

Warning: These products contain chemicals known to the State of California to cause cancer.

3. Composition, Information on Ingredients

* Chemical Name and synonyms: Ag, Cu, Brazing Filler Metal

* Chemical Family: Brazing Filler Metal

Table 1: Components

Ingredient Name (Chemical Formula)	CAS # (*1)	WT %
Silver (Ag)	7440-22-4	72
Copper (Cu)	7440-50-8	28

* Chemical Formula: Metal Alloy

* Gazette Reference №: Please refer to Article 16.

Table 2: Exposure Guidelines

Substances (Chemical Formula)	CAS #	ACGIH (*2), TLV-TWA (*3)
Silver Fume (Ag)	7440-22-4	Please refer to Article 8
Copper Fume (Cu)	7440-50-8	Ditto

<*1> <*2> <*3>: Please refer to Article 16 (Other Information)

4. First Aid Measures

* Eye contact: Wash immediately with plenty of water.

* Skin contact: Wash with plenty of soap.

* Inhalation: Remove the individual from the area to fresh air, blow the nose and gargle the throat.

* Ingestion: Clean the stomach with water.

* In any case, seek medical assistance immediately

5. Fire Fighting

Nonflammable

6. Accidental Release Measures

* Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and mucous membranes.

* Environmental precautions

Prevent spills from entering sewers or contaminating the soil.

* Methods and materials for containment and methods and materials for cleaning up

If a finely divided form of the product is spilt, clean up spillage to minimize dispersion of dust. Either wet sweeping or vacuuming using HEPA filtration is recommended.

7. Handling and Storage

Handling: Humidity is not preferable as it will cause oxides on its surface.

Storage: Keep in-store and avoid fire, water, and acids.

8. Exposure Controls / Personal Protections

* Control Value: Not established

* Exposure Guidelines

	Silver	Copper
JCGIH <*4> in 2002	0.01 mg/m ³	Not available
ACGIH TLV-TWA	0.1 mg/m ³ (Dust & Fume)	1 mg/m ³ (Dust& Fume) 0.2 mg/m ³ (Fume)
TLV-STEL <*5>	Not available	0.2 mg/m ³ (Fume)
OSHA <*6> PEL<*7> TWA	0.01 mg/m ³	0.1 mg/m ³ (Fume)
NIOSH <*8> PEL TWA	Not available	Not available
MSHA <*9> TWA	0.01 mg/m ³	0.1 mg/m ³

Protection measures

* Equipment: Use at the place where ventilators are equipped.

* Protection: Use a protective respirator, glasses, gloves, and clothes, if preferable

9. Physical and Chemical Properties

* Appearance: White yellow colour

* Flow point: 780 °C

* Melting point: 780 °C

* Specific gravity: 9.96

* Explosion: Non-explosive

* Solubility in water: Insoluble

10. Stability and Reactivity

- * Soluble in sub-nitric acid and hot concentrated sulfuric acid
- * Insoluble with alkali water

11. Toxicological Information

	Silver	Copper
Mutagenicity	Not available	Not available
Reproductive Effects	Not available	Rat TDLo <*10> 152 mg/Kg (22 W Pre)
Acute Toxicity (RTECS<*11>)	Rat LD<*12> >10g/Kg	Human TDLo 0.12 mg/Kg
Oral Toxicity	Guinea Pig LD: >5 g/Kg	Rat LD ₅₀ <*13>:3.5mg/Kg
Inhalation Toxicity	Not available	Not available
Chronic Toxicity	Not available	Not available
Sub-Acute Toxicity	Shivers and Fevers (metallic fever) for a few hours by breathing metallic vapour	the same as silver
Sensitive Toxicity	Not available	Skin-sensitize Group2 (JCGIH)
Irritation Scores	Not available	Not available
Carcinogenicity	Not available	EPA<*14>: D

12. Ecological Information

- * Decomposition: Not available
- * Accumulation: Not available
- * Fish toxicity: Not available
- * Other information: Not available

13. Disposal Considerations

Dispose of or ask the collecting dealer by related regulations and law

14. Transportation Information

- * UN classification: Not applicable
- * UN Number: Not applicable
- * Necessary measures are taken to avoid toppling and fall-down of cargoes

15. Regulatory Information

	Occupational Safety and Health Law	Disposal and Cleaning Control Law on Waste	Chemical Substances Control Law (Chemical Substance Article 2-1)	Regulation on PRTR <*15>	Fire-Fighting Law
Silver (Ag)	№ 138/631	Metal Scrap (№ 6/13)	№ 64/354	Not applicable	Not applicable
Copper (Cu)	№ 378/631	Not applicable	Not applicable	Drainage Standard: 3 mg/l	Not applicable

16. Other Information

Use of Fluxes

This product is often used together with fluxes.

Fluxes generate vapour when they are heated and irritate the eye, throat, and nose.

Avoid inhalation, exposure to this vapour (TLV: 2.5 mg/m³) as much as possible.

Use them where the ventilator is equipped.

Avoid direct contact of fluxes with skin, eye, and ingestion.

<References>

<*1> CAS #: Chemical substance register number of Chemical Abstracts Service

<*2> ACGIH: American Conference of Governmental Industrial Hygienists

<*3> TLV-TWA: Threshold Limit-Time Weighted Average

<*4> JCGIH: Japanese Conference of Governmental Industrial Hygienists

<*5> STEL: Short Term Exposure Limit

<*6> OSHA: Occupational Safety and Health Administration

<*7> PEL: Permissible Exposure Limit

<*8> NIOSH: National Institute for Occupational Safety and Health

<*9> MSHA: The Federal mine Safety and Health Act

<*10> TDLo: Toxic Dose Lowest

<*11> RTECS: Registry of Toxic Effects of Chemical Substances

<*12> LD: Lethal Dose

<*13> LD₅₀: 50% Lethal Dose

<*14> EPA: Environmental Protection Agency

<*15> PRTR: Pollutant Release and Transfer Register

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mizuno Handy Harman, Ltd.

It relates only to the specific designated herein and does not relate to use in combination with any other material in any process.

Mizuno Handy Harman, Ltd. assumes no legal responsibility for use of or reliance upon this information.